

Aditya College of Engineering & Technology

(Permanently Affiliated to JNTU, Kakinada, Approved by AICTE, New Delhi) (Accredited by NAAC, Recognized by UGC under Section (2f) and 12(B) of UGC Act 1965)

Nested queries Vs Natural Join

Mr.Ch.S.V.V.S.N.Murty Associate Professor, Department of C.S.E, Aditya College of Engineering & Technology, Surampalem.

Flipped Classroom

The student gave lecture on the following topics by taking guidelines from the lecturer. At the end of this session the student who gave lecture will have complete command on these topics and all the students will be participated actively to exercise these topics.

Topics discussed

Queries using group by, having, order by classes, sub queries and co-related sub queries. Transaction control language commands: Commit, Rollback, and Savepoint




Fig.1. Flipped class room – Demo by a student



Fig.2. Flipped class room- Giving guidelines by Faculty

Group by clause:

Using group by, we can create groups of related information. Columns used in select clause must be used with group by clause, otherwise it was not a group by expression.

Having clause:

This will work as where clause which can be used only with group by clause because of absence of where clause in group by.

Order by clause:

This will be used to ordering the columns data (ascending or descending). ASC (default) and DESC – specify the ordering of values, either ascending or descending

Sub queries and co-related sub queries

1. Display the name of the employee who earns highest salary.

Query : select ename from employee where salary=(select max(salary) from employee);

Result:



2. Display the employee number and name for employee working as clerk and earning highest salary among clerks.

select empno, ename from employee where job = (select jcode from job where name ='Clerk') and salary= (select max(salary) from employee

where job = (select jcode from job where name ='Clerk'));

Result:

EMPNO	ENAME		
10	Suresh		
12	Kumar		

3. Display the names of employee whose job role is 'Staff' and earns salary more than the highest salary of any 'Clerk'.

select	empno, ena	ame			
from	employee				
where	job= (select jcode				
	fro	m job			
	wh	ere name ='S	Staff)		
	and				
	salary > (se	elect max(sal	ary)		
	fro	om employee	9		
	wl	here job = (:	select jcode	
		fi	rom jol	b	
		W	where n	ame ='Clerk'));	

Result:

EMPNO	ENAME
5	Krishna
6	Deepa
7	Keerthi
9	Srikanth

4. Display the names of clerks who earn a salary more than the lowest salary of any employee whose job role is Staff.

select empno, ename
from employee
where job = (select jcode from job where name ='Clerk') and
 salary > (select min(salary)
 from employee
 where job = (select jcode
 from job
 where name ='Staff'));

Result:

no data found

5. Display the names of the employees who earn highest salary in their respective departments.

select ename, sal, deptno from emp where sal in(select max(sal) from emp group by deptno);

ENAME	SALARY	DEPTNO
Srinivas	1000000	30
Pradeep	1000000	40
Srikanth	400000	34
Aravind	800000	30
Nirmala	800000	20
Keerthi	600000	24
Deepa	600000	23
Venkat	1200000	40
Krishna	500000	12

Result:

6. Display the names of the employees who earn highest salaries in their respective job groups.

select ename, salary, job from employee where salary in(select max(salary) from employee group by job);

Result:

ENAME	SALARY	JOB
Venkat	1200000	672
Aravind	800000	671
Nirmala	800000	671
Srinivas	1000000	669
Pradeep	1000000	669
Kumar	120000	667
Suresh	120000	667
Keerthi	600000	668
Deepa	600000	668

7. Display the employee names who are working in 'Operations' department.

Select ename From employee Where deptno in (select deptno from dept

where name='Operations');

Result:



8. Display the employee names who are working in Kakinada.

Select ename From employee Where deptno in (select deptno from dept where location = (select lcode from location where name = 'Kakinada'));

Result:

ENAME
Krishna

9. Display the names of employees from department number 30 with salary greater than that of any employee working in other department.

Select ename From employee Where deptno=30 and salary > any (select salary from employee

where deptno not in 30)

Result:

ENAME
Srinivas
Aravind

10. Display the names of the employees from department number 30 with salary greater than that of all employee working in other departments.

Select ename From employee Where deptno=30 and salary > all (select salary from employee where deptno not in 30)

Result:

No data Found

11. Display the names of the employees from department number 40 with salary greater than that of all employee working in other departments.

Select ename From employee Where deptno=40 and

> salary > all (select salary from employee where deptno not in 40)

Result:



1 rows returned

Transaction control language commands: Commit, Rollback, and Savepoint.

1. select * from emp;

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7369	SMITH	CLERK	7902	17-DEC-80	800		20
7499	ALLEN	SALESMAN	7698	20-FEB-81	1600	300	30
7521	WARD	SALESMAN	7698	22-FEB-81	1250	500	30
7566	JONES	MANAGER	7839	02-APR-81	2975		20
7654	MARTIN	SALESMAN	7698	28-SEP-81	1250	1400	30
7698	BLAKE	MANAGER	7839	01-MAY-81	2850		30
7782	CLARK	MANAGER	7839	09-JUN-81	2450		10
7788	SCOTT	ANALYST	7566	09-DEC-82	3000		20
7839	KING	PRESIDENT		17-NOV-81	5000		10
7844	TURNER	SALESMAN	7698	08-SEP-81	1500	0	30
7876	ADAMS	CLERK	7788	12-JAN-83	1100		20
7900	JAMES	CLERK	7698	03-DEC-81	950		30
7902	FORD	ANALYST	7566	03-DEC-81	3000		20
7934	MILLER	CLERK	7782	23-JAN-82	1300		10

Result: 14 rows selected.

2. delete from emp where empno=7369;

Result: 1 row deleted.

3. select * from emp;

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7499	ALLEN	SALESMAN	7698	20-FEB-81	1600	300	30
7521	WARD	SALESMAN	7698	22-FEB-81	1250	500	30
7566	JONES	MANAGER	7839	02-APR-81	2975		20
7654	MARTIN	SALESMAN	7698	28-SEP-81	1250	1400	30
7698	BLAKE	MANAGER	7839	01-MAY-81	2850		30
7782	CLARK	MANAGER	7839	09-JUN-81	2450		10
7788	SCOTT	ANALYST	7566	09-DEC-82	3000		20
7839	KING	PRESIDENT		17-NOV-81	5000		10
7844	TURNER	SALESMAN	7698	08-SEP-81	1500	0	30
7876	ADAMS	CLERK	7788	12-JAN-83	1100		20
7900	JAMES	CLERK	7698	03-DEC-81	950		30
7902	FORD	ANALYST	7566	03-DEC-81	3000		20
7934	MILLER	CLERK	7782	23-JAN-82	1300		10

Result: 13 rows selected.

4. rollback;

Result: rollback completed.

5. select * from emp;

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7369	SMITH	CLERK	7902	17-DEC-80	800		20
7499	ALLEN	SALESMAN	7698	20-FEB-81	1600	300	30
7521	WARD	SALESMAN	7698	22-FEB-81	1250	500	30
7566	JONES	MANAGER	7839	02-APR-81	2975		20
7654	MARTIN	SALESMAN	7698	28-SEP-81	1250	1400	30
7698	BLAKE	MANAGER	7839	01-MAY-81	2850		30
7782	CLARK	MANAGER	7839	09-JUN-81	2450		10
7788	SCOTT	ANALYST	7566	09-DEC-82	3000		20
7839	KING	PRESIDENT		17-NOV-81	5000		10
7844	TURNER	SALESMAN	7698	08-SEP-81	1500	0	30
7876	ADAMS	CLERK	7788	12-JAN-83	1100		20
7900	JAMES	CLERK	7698	03-DEC-81	950		30
7902	FORD	ANALYST	7566	03-DEC-81	3000		20
7934	MILLER	CLERK	7782	23-JAN-82	1300		10

Result: 14 rows selected.

6. delete from emp where empno ≤ 7550 ;

Result: 3 rows deleted.

7. commit;

Result: commit completed.

8. rollback;

Result: rollback completed.

9. select * from emp;

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7566	JONES	MANAGER	7839	02-APR-81	2975		20
7654	MARTIN	SALESMAN	7698	28-SEP-81	1250	1400	30
7698	BLAKE	MANAGER	7839	01-MAY-81	2850		30
7782	CLARK	MANAGER	7839	09-JUN-81	2450		10
7788	SCOTT	ANALYST	7566	09-DEC-82	3000		20
7839	KING	PRESIDENT		17-NOV-81	5000		10
7844	TURNER	SALESMAN	7698	08-SEP-81	1500	0	30
7876	ADAMS	CLERK	7788	12-JAN-83	1100		20
7900	JAMES	CLERK	7698	03-DEC-81	950		30
7902	FORD	ANALYST	7566	03-DEC-81	3000		20
7934	MILLER	CLERK	7782	23-JAN-82	1300		10

Result: ^{11 rows selected.}

- 10. insert into emp values(7369,'smith','clear',7902,'17-DEC-1980',800,null,20); Result: 1 row inserted.
- 11. insert into emp values(7499,'allen','salesman',7698,'20-FEB-1981',1600,300,30); Result: 1 row inserted.
- 12. insert into emp values(7521,'ward','salesman',7698,'22-FEB-1981',1250,500,30); Result: 1 row inserted.
- 13. savepoint firstrow;

Result: savepoint created.

- 14. delete from emp where empno=7369; Result: 1 row deleted.
- 15. savepoint secondrow;

Result: savepoint created.

- 16. delete from emp where empno=7499; Result: 1 row deleted.
- 17. savepoint thirdrow;

Result: savepoint created.

18. delete from emp where empno=7521;

Result: 1 row deleted.

19. select * from emp;

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7566	JONES	MANAGER	7839	02-APR-81	2975		20
7654	MARTIN	SALESMAN	7698	28-SEP-81	1250	1400	30
7698	BLAKE	MANAGER	7839	01-MAY-81	2850		30
7782	CLARK	MANAGER	7839	09-JUN-81	2450		10
7788	SCOTT	ANALYST	7566	09-DEC-82	3000		20
7839	KING	PRESIDENT		17-NOV-81	5000		10
7844	TURNER	SALESMAN	7698	08-SEP-81	1500	0	30
7876	ADAMS	CLERK	7788	12-JAN-83	1100		20
7900	JAMES	CLERK	7698	03-DEC-81	950		30
7902	FORD	ANALYST	7566	03-DEC-81	3000		20
7934	MILLER	CLERK	7782	23-JAN-82	1300		10

Result: ^{11 rows selected.}

20. rollback to secondrow;

Result: rollback completed.

21. Select * from emp;

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7566	JONES	MANAGER	7839	02-APR-81	2975		20
7654	MARTIN	SALESMAN	7698	28-SEP-81	1250	1400	30
7698	BLAKE	MANAGER	7839	01-MAY-81	2850		30
7782	CLARK	MANAGER	7839	09-JUN-81	2450		10
7788	SCOTT	ANALYST	7566	09-DEC-82	3000		20
7839	KING	PRESIDENT		17-NOV-81	5000		10
7844	TURNER	SALESMAN	7698	08-SEP-81	1500	0	30
7876	ADAMS	CLERK	7788	12-JAN-83	1100		20
7900	JAMES	CLERK	7698	03-DEC-81	950		30
7902	FORD	ANALYST	7566	03-DEC-81	3000		20
7934	MILLER	CLERK	7782	23-JAN-82	1300		10
7499	allen	salesman	7698	20-FEB-81	1600	300	30
7521	ward	salesman	7698	22-FEB-81	1250	500	30

Result: 13 rows selected.

Natural Join

Natural join operation is used to combine two tables based on common columns. To perform natural join, there must be a common attribute between the two tables. Syntax:

SELECT * FROM Table 1 NATURAL JOIN Table 2